

HILLSBOROUGH CITY SCHOOL DISTRICT - CROCKER MIDDLE SCHOOL

TABLE 6.1.1  
Existing Utilities Inventory - Water Line Details

DRAWING NUMBER	Date of As Built Stamp (year) <sup>2</sup>	Drawing Title <sup>3</sup>	Size (inches)	Type of Utility	Length <sup>4</sup> (feet)	Expected Lifespan	Proposed Replacement Date
24	1949	(24) - 2 detailed site plan 1957.TIF	6	???	239		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	6	???	20		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	6	???	7		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	4	???	106		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	4	???	63		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	4	???	56		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	4	???	94		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	4	???	59		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	4	???	103		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	4	???	111		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	2	???	64		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	2	???	31		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	2	???	52		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	2	???	43		2005
24	1949	(24) - 2 detailed site plan 1957.TIF	1	???	76		2005
25	1955	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	75	50-years lifespan	2005
30	1957	(30) - 1 plot plan 1957.TIF	1 1/2		424		2007
30	1957	(30) - 1 plot plan 1957.TIF	1 1/2		58		2007
30	1957	(30) - 1 plot plan 1957.TIF	1 1/2		146		2007
30	1957	(30) - 1 plot plan 1957.TIF	1 1/2		242		2007
30	1957	(30) - 1 plot plan 1957.TIF	8		421		2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1	CP	127	50-years lifespan	2007
30	1957	(30) - 1 plot plan 1957.TIF	8		47		2007
30	1957	(30) - 1 plot plan 1957.TIF	2 1/2		52		2007
30	1957	(30) - 1 plot plan 1957.TIF	2 1/2		195		2007
30	1957	(30) - 1 plot plan 1957.TIF	2 1/2		169		2007
30	1957	(30) - 1 plot plan 1957.TIF	2 1/2		96		2007
30	1957	(30) - 1 plot plan 1957.TIF	2 1/2		66		2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	8		250		2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	8		33		2007
30	1957	(30) - 1 plot plan 1957.TIF	8		38		2007
31	1971	(31) - P-1 plumbing site plan 1971.TIF	2	???	183		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	25		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	65		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	65		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	22		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	9		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	7		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	65		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	77		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	231		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	29		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	29		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	10		2021
31	1971	(31) - P-1 plumbing site plan 1971.TIF	3	???	10		2021
7	2004	(7) - North_545 Eucalyptus Ave_001_E3.0 2004.TIF	4		102		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	8	???	68		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	1 1/2	???	23		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	1 1/2	???	33		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	4	???	47		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	4	???	7		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	4	???	2		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	4	???	6		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	4	???	24		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	???	???	16		2054
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	???	???	11		2054
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	3	???	10		2054
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	3	???	100		2054
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	11		2054
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	10		2054
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	3		2054
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	2		2054
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	2	???	51		2054

Notes:

- (1) BKF drawing number
- (2) Year of Stamp on Drawing
- (3) Name of Drawing
- (4) Utility lengths to nearest foot.
- (5) Utilities are listed by most recent update, where older utilities were shown on previous (earlier) drawings, earlier instances are shown in note column.
- (6) If type of utility material is unknown, assume previous type material was used.

**HILLSBOROUGH CITY SCHOOL DISTRICT - CROCKER MIDDLE SCHOOL**

**TABLE 6.1.2  
Existing Utilities Inventory - Irrigation Line Details**

DRAWING NUMBER <sup>1</sup>	Date of As Built Stamp (year) <sup>2</sup>	Drawing Title <sup>3</sup>	Size (inches)	Type of Utility	Length <sup>4</sup> (feet)	Expected Lifespan	Proposed Replacement Date
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/2	CP	76	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/4	CP	26.3	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	18	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	15.2	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/2	CP	21	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/4	CP	40.8	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1	CP	38.8	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	12.2	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	18.8	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1	CP	64.8	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/4	CP	11.4	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/2	CP	27.7	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/2	CP	21.8	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	49.4	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	18.8	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	110.7	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/4	CP	56.9	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	31.4	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	1 1/2	CP	70.8	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	41.5	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	25.3	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	3/4	CP	78	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	???	CP	96.1	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	???	CP	143.5	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	???	CP	66.1	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	???	CP	63.2	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	???	CP	21.2	50-year lifespan	2007
25	1957	(25) - 5-irrigation pipe sprinkler plan 1957.TIF	???	CP	62.5	50-year lifespan	2007

Notes:

- (1) BKF drawing number
- (2) Year of Stamp on Drawing
- (3) Name of Drawing
- (4) Utility lengths to nearest foot.
- (5) Utilities are listed by most recent update, where older utilities were shown on previous (earlier) drawings, earlier instances are shown in note column.
- (6) If type of utility material is unknown, assume previous type material was used.

**HILLSBOROUGH CITY SCHOOL DISTRICT - CROCKER MIDDLE SCHOOL**

**TABLE 6.2  
Existing Utilities Inventory - Sanitary Sewer Details**

DRAWING NUMBER <sup>1</sup>	Date of As Built Stamp (year) <sup>2</sup>	Drawing Title <sup>3</sup>	Size (inches)	Type of Utility	Length <sup>4</sup> (feet)	Expected Lifespan	Proposed Replacement Date
30	1957	(30) - 1 plot plan 1957.TIF	4	VCP	187	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF			107	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF			22	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF	6	VCP	330	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF	4	VCP	21	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF	2	VCP	19	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF	4	VCP	15	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF	4	VCP	69	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF	8	VCP	289	100-years life span	2057
30	1957	(30) - 1 plot plan 1957.TIF	8	VCP	182	100-years life span	2057
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	22		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	21		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	147		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	19		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	25		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	30		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	29		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	46		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	8	???	181		2071

Notes:

- (1) BKF drawing number
- (2) Year of Stamp on Drawing
- (3) Name of Drawing
- (4) Utility lengths to nearest foot.
- (5) Utilities are listed by most recent update, where older utilities were shown on previous (earlier) drawings, earlier instances are shown in note column.
- (6) If type of utility material is unknown, assume previous type material was used.

**HILLSBOROUGH CITY SCHOOL DISTRICT - CROCKER MIDDLE SCHOOL**

**TABLE 6.3  
Existing Utilities Inventory - Storm Drain Details**

DRAWING NUMBER <sup>1</sup>	Date of As Built Stamp (year) <sup>2</sup>	Drawing Title <sup>3</sup>	Size (inches)	Type of Utility	Length <sup>4</sup> (feet)	Expected Lifespan	Proposed Replacement Date
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	95	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	307	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	68	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	70	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	12	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	8	RCP	38	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	8	RCP	179	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	4	CIP	73	75-years lifespan	2032
24	1957	(24) - 2 detailed site plan 1957.TIF	4	CIP	46	75-years lifespan	2032
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	224	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	15	RCP	49	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	15	RCP	141	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	18	RCP	74	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	103	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	???		62	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	12	RCP	47	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	15	RCP	27	100-years lifespan	2057
24	1957	(24) - 2 detailed site plan 1957.TIF	15	RCP	20	100-years lifespan	2057
31	1971	(31) - P-1 plumbing site plan 1971.TIF	14	???	29		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	14	???	8		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	14	???	60		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	14	???	92		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	14	???	119		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	14	???	14		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	14	???	14		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	15	???	141		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	22		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	7		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	3		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	84		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	176		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	142		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	114		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	31		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	6	???	14		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	12		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	12		2071
31	1971	(31) - P-1 plumbing site plan 1971.TIF	4	???	12		2071
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	12	???	69		3004
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	12	???	16		3004
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	4	???	42		3004
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	44		3004
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	21		3004
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	31		3004
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	19		3004
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	12		3004
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	12		3004
11	2004	(11) - Crocker 2600 Ralston Ave_001_C2.0 2004.TIF	4	???	17		3004

Notes:

- (1) BKF drawing number
- (2) Year of Stamp on Drawing
- (3) Name of Drawing
- (4) Utility lengths to nearest foot.
- (5) Utilities are listed by most recent update, where older utilities were shown on previous (earlier) drawings, earlier instances are shown in note column.
- (6) If type of utility material is unknown, assume previous type material was used.

**HILLSBOROUGH CITY SCHOOL DISTRICT - CROCKER MIDDLE SCHOOL**

**TABLE 6.4  
Existing Utilities Inventory - Gas Line Details**

DRAWING NUMBER <sup>1</sup>	Date of As Built Stamp (year) <sup>2</sup>	Drawing Title <sup>3</sup>	Size (inches)	Type of Utility	Length <sup>4</sup> (feet)	Expected Lifespan	Proposed Replacement Date
31	1971	(31) - P-1 plumbing site plan 1971.TIF	1	???	3		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1	???	11		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1	???	31		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1	???	28		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1	???	46		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1	???	65		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1	???	38		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1 1/2	???	66		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1 1/2	???	94		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1 1/2	???	21		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1 1/2	???	44		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1 1/2	???	12		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	30		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1 1/2	???	47		2021
31		(31) - P-1 plumbing site plan 1971.TIF	1 1/2	???	57		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	84		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	120		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	38		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	27		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	74		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	80		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	65		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	8		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	135		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	25		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	5		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	16		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	59		2021
31		(31) - P-1 plumbing site plan 1971.TIF	4	???	211		2021
10	2004	(10) - Crocker 2600 Ralston Ave_001_C1.0 2004.TIF	4	???	79		2021

Notes:

- (1) BKF drawing number
- (2) Year of Stamp on Drawing
- (3) Name of Drawing
- (4) Utility lengths to nearest foot.
- (5) Utilities are listed by most recent update, where older utilities were shown on previous (earlier) drawings, earlier instances are shown in note column
- (6) If type of utility material is unknown, assume pervious type material was used.
- (7) Assume high pressure lines are steel, assume low pressure lines are galvanized pipe. Both materials are estimated at 100-year lifespan.

HILLSBOROUGH CITY SCHOOL DISTRICT - CROCKER MIDDLE SCHOOL

TABLE 6.5  
Existing Utilities Inventory - Joint Trench Details

DRAWING NUMBER	Date of As Built Stamp (year) <sup>2</sup>	Drawing Title <sup>3</sup>	Size (inches)	Type of Utility	Length <sup>4</sup> (feet)	Notes	Expected Lifespan	Proposed Replacement Date
28	1957	(28) - E-1 plot plan 1957.TIF	2" NMD	electrical	83.4			
28	1957	(28) - E-1 plot plan 1957.TIF	2" NMD	electrical	94.7			
28	1957	(28) - E-1 plot plan 1957.TIF	2" NMD	electrical	17			
28	1957	(28) - E-1 plot plan 1957.TIF	2" NMD	electrical	62.6			
28	1957	(28) - E-1 plot plan 1957.TIF	2" NMD	electrical	115.8			
28	1957	(28) - E-1 plot plan 1957.TIF	3" NMD	electrical	245.6			
29	1957	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	33.4			
29	1957	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	21.5			
29	1957	(29) - E-3 electrical site plan 1970.TIF	2"	JT	110.4	clock TV electrical		
29	1957	(29) - E-3 electrical site plan 1970.TIF	2"	JT	60.3	clock TV electrical		
29	1957	(29) - E-3 electrical site plan 1970.TIF	2"	JT	48.1	clock TV electrical		
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	96.6			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	22.4			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	21.5			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	100.65			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	40.2			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	179.3			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	59.7			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	128.7			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	JT	122.46	telephone electrical		
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	JT	201.4	telephone electrical		
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	272.4			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	141.3			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	70			
29	1971	(29) - E-3 electrical site plan 1970.TIF	2"	electrical	11.3			
14	2004	(14) - Crocker 2600 Ralston Ave_001_E2.0 2004.TIF	???	telephone	36.3			
14	2004	(14) - Crocker 2600 Ralston Ave_001_E2.0 2004.TIF	???	fire alarm	107.9			
15	2004	(15) - Crocker 2600 Ralston Ave_001_E2.5 2004.TIF	???	fire alarm	35.4			
15	2004	(15) - Crocker 2600 Ralston Ave_001_E2.5 2004.TIF	???	fire alarm	76.6			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	216.6			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	22.1			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	155.1			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	78.8			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	38.8			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	93.9			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	175.8			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	9.7			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	101.1			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	28.5			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	88.8			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	120.5			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	317			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	fire alarm	11.6			
12	2005	(12) - Crocker 2600 Ralston Ave_001_E1.0 2005.TIF	2"	electrical	134.4			
13	2005	(13) - Crocker 2600 Ralston Ave_001_E1.1 2004.TIF	4"	fire alarm	128.1			

Notes:

- (1) BKF drawing number
- (2) Year of Stamp on Drawing
- (3) Name of Drawing
- (4) Utility lengths to nearest foot.
- (5) Utilities are listed by most recent update, where older utilities were shown on previous (earlier) drawings, earlier instances are shown in note column.
- (6) If type of utility material is unknown, assume pervious type material was used.
- (7) Expected lifespan and replacement dates are not recommended, Joint Trench conduit will be replaced as lines are relocated.